



Landing Products Inc.  
APC Propellers  
1222 Harter Ave.  
Woodland, CA 95776  
(530) 661-0399

Subject: APC Propeller Speed Specification  
Revision: Rev 2  
Date: Feb 10, 2016

The following table shows the maximum recommended rpm (revolutions per minute) for all APC propellers currently in production.

## APC Propeller RPM Limits

- 1. Glow Engine (includes Sport and Pattern) and Speed 400 Electric (E) Propellers**  
Maximum RPM = 190,000/prop diameter (inches)  
(For example, a 10x6 glow engine prop should be limited to 19,000 RPM)
- 2. Thin Electric (E) and Folding Electric (F) Propellers**  
Maximum RPM = 145,000/prop diameter (inches)
- 3. Multi-Rotor Propellers (MR)**  
Maximum RPM = 105,000/prop diameter (inches)
- 4. Slow Flyer Propellers (SF)**  
Maximum RPM = 65,000/prop diameter (inches)
- 5. Racing Propellers (includes Carbon)**  
8.75 N, W and 8.8 series 40 Pylon Props  
Sport Propellers (for IC Engines) on Electric Motors  
Maximum RPM = 225,000/prop diameter (inches)
- 6. Racing Propellers (includes Carbon) on Electric Motors**  
8.75 N, W and 8.8 series 40 Pylon Props on Electric Motors  
Maximum RPM = 270,000/prop diameter (inches)

The following propellers are intended for use with electric motors only:  
Slow Flyer, Multi-Rotor, Thin Electric, and Speed 400 Electric

All electric propellers are suitable for multi-rotor applications.